

This document was generated on 12/28/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0330000002

Status: **Active**

MX150 Sealed and Unsealed Connector System Overview:

MX150 Male Terminal for Mat-Sealed or Unsealed Connectors, Tin Plating, 16, 18 and **Description:**

20 AWG, Right Reel Payoff

Documents:

Drawing (PDF) Packaging Specification 313025040-000 (PDF) Test Summary TS-33000-001-001 (PDF) Product Specification PS-33012-002-001 (PDF)

Application Specification AS-33000-001-001 (PDF)

Application Specification AS-33000-001-CH-001

Application Specification AS-33000-001-FR-001

(PDF)

Datasheet (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family Crimp Terminals

Series 33000

Power, Wire-to-Board, Wire-to-Wire Application

Comments For automatic and semi-automatic crimping, use Left

Reel Payoff terminals. See Sales Drawing for Left Reel

Payoff Part Numbers.

Crimp Quality Equipment Yes

Overview MX150 Sealed and Unsealed Connector System

Product Name MX150

UPC 800756103556

Physical

Gender Male Grip Code 18

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Tin Material - Plating Termination Tin Net Weight 0.320/gPackaging Type Reel Plating min - Mating 0.508µm Plating min - Termination 0.508um

Termination Interface: Style Crimp or Compression

Wire Insulation Diameter 2.54mm max. Wire Size AWG 16, 18, 20 Wire Size mm² 0.75-1.00

Electrical

Current - Maximum per Contact Contact Molex Voltage - Maximum **14V DC**

Solder Process Data

Packaging Specification

Product Specification

Sales Drawing

Test Summary

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification AS-33000-001-001, AS-33000-001-CH-001,

AS-33000-001-FR-001 313025040-000 PS-33012-002-001

SD-33000-001-001 TS-33000-001-001



EU ELV

Compliant

EU RoHS China RoHS

Compliant **REACH SVHC** Not Contained Per -

D(2021)4569-DC (8

July 2021) Halogen-Free **Status**

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image Compliant **ELV RoHS Phthalates** Not Contained

Search Parts in this Series

33000 Series

Use With

33482 Dual Row Housing, 33481 Single Row Housing, 33486 Hybrid Housing

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # Extraction Toolkit for 2002220700

MX150 Connectors

FA2 Mechanical 638084100

Feed Applicator for MX150 Mat Seal/ **Unsealed Blade** Terminals, 16 AWG TXL Wire and 18 AWG GXL Wire